

**Honeywell**



## **Prescription Safety Frames Product Catalog**

Featuring Titmus® SRx Frames



# THE UVEX® DIFFERENCE



Engineered specifically for industrial applications where eye hazards are present, our products are designed for fashion but built to perform to ANSI requirements.

Superior service plays a main role at Uvex Rx. We believe it is important to treat everyone the way we would like to be treated...it's that simple.

Quality is a way of life at Uvex Rx. We are strict adherents to the ANSI Z87.1 Standard because this standard is the most stringent requirement. We test and re-test every product on a regular basis.

An important component of all safety eyewear programs is prescription safety eyewear. If you have employees who require safety glasses outfitted with an individual prescription in them, Uvex Rx is your best resource to finding an optimal solution.

Uvex Rx works hand-in-hand with hundreds of safety optical laboratories in the Americas that can support your needs in building an efficient, cost effective and convenient safety prescription (Rx) eyewear program for your employees. Here's how:

- Assess Your Requirements
- Assist in the Choice of a Supplier Lab
- Provide Training Materials
- Support You with Seasoned Sales Professionals and Customer Care Personnel

## Table of Contents

SWRx Collection .....	1
Trendsetters Collection.....	4
Titanium Collection.....	7
Exclusive Collection .....	10
Premier Collection.....	11
Baseline Collection .....	12
Standard Collection .....	15
Sideshield/Frame Matrix.....	17



Frames displaying this logo contain no metal parts and can be worn in environments where accidental exposure to electrical charge is possible.

## SWRX COLLECTION



### TITMUS SW02

- Sizes: 54.17.130; 56.17.135
- Colors: BLV Blue Venom, GTW Gray Tumbleweed, ADB Adobe Brown
- Features: Stainless steel, spring hinge, 15° face-form wrap
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS02/CS02S
- Standards: ANSI Z87.1-2010, EN166



### TITMUS SW03

- Sizes: 54.15.135; 56.15.140; 58.15.145
- Colors: BLV Blue Venom, DSD Desert Sand, KCH Knife Chrome
- Features: Stainless steel, spring hinge, nickel-free plating 15° face-form wrap
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS03/CS03S
- Standards: ANSI Z87.1-2010



### TITMUS SW04

- Sizes: 50.20.130; 53.20.135;
- Colors: BLU Blue, BRN Brown, GML Gunmetal, WIN Wine
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Side shields: Top/Side Shield, Clear/Smoke available, CS04/CS04S
- Standards: ANSI Z87.1-2010



70E

### TITMUS SW06

- Size: 57.16.125
- Colors: BRN Brown/Orange Accents, BLK Black/Yellow Accents, CLR Clear Body/Black/Yellow Accents
- Features: Trogamid nylon, no metal content, removable/replaceable dust dam, adjustable nose pads, 17° face-form wrap
- No replacement temples, integral shield design
- Standards: ANSI Z87.1-2010



70E

### TITMUS SW06E

- Sizes: 57.16.125
- Colors: BRN Brown/Yellow accents, BLK Black/Orange accents, ROS Rose/Pink accents
- Features: Trogamid nylon, no metal content, removable/replaceable dust dam, adjustable nose pads, 17° face-form wrap
- No replacement temples, integral extended shield design
- Standards: ANSI Z87.1-2010, EN166

## SWRX COLLECTION

SWRX  
COLLECTION



Foam insert

### TITMUS SW07

- Sizes: 60.13.127
- Colors: BLU Blue, BRN Brown, GML Gunmetal
- Features: Injection molded nylon, no metal content, removable foam insert, adjustable strap, 17° face-form wrap, integral extended shield design
- No replacement temples
- Side shield: Integral design
- Standards: ANSI Z87.1-2010, EN166
- Anti-fog lens coating recommended with this frame style

Available in three ordering options:

- Type 1: Frame comes complete and assembled with attached temples, foam insert, medium nose pads. Ships with optional small and large replacement nose pads and expandable strap/headband
- Type 2: Frame comes complete and assembled with attached temples, foam insert and medium nose pads. Ships with small and large replacement nose pads
- Type 3: Frame comes complete and assembled with attached temples and medium nose pads. Ships with small and large replacement nose pads



### TITMUS SW08

- Sizes: 53.17.110, 56.17.115
- Colors: BLK Black, BRN Brown, TOR Tortoise
- Features: Hand made acetate, wrapped endpieces
- No replacement temples
- Side shield: None – Temple coverage meets requirements
- Standards: ANSI Z87.1-2010



### TITMUS SW09R LIVEWIRE® SEALED EYEWEAR

- Sizes: 6 Base-56.21.127, 8 Base-59.21.127
- Colors: BLK Black, BLU Blue, RED Red
- Features: No metal content, removable foam insert, ratcheting temples, interchangeable temples and headband
- No replacement temples
- Side Shield: Integral Design
- Standards: ANSI Z87.1-2010 and CSA Z94.3
- Anti-fog lens coating recommended with this frame style
- Available as Plano



## SWRX COLLECTION



### TITMUS SW10 HYPERSHOCK®

- Sizes: 6 Base-53.22.125, 8 Base-56.22.125
- Colors: BLK Black, CLR Clear, WHT White, TOR Tortoise, CAMO Camo, BRN Brown
- Features: No metal content, close fitting design, wrapped end pieces
- No replacement temples
- Side Shield: Integral Design
- Standards: ANSI Z87.1-2010
- Anti-fog lens coating recommended with this frame style
- Available as Plano



### TITMUS SW12

- Sizes: 6 base-62.15.125, 8 Base-64.17.125
- Colors: BLK/BLK – Black with Black accents, BLK/GRN – Black with Green accents, BLK/PUR – Black with Purple accents, GRY/ORG – Gray with Orange accents, PUR/LAV – Purple with Lavender accents
- Features: 6 and 8-base lens configurations accommodate virtually any prescription. Removable foam insert
- No replacement temples
- Side Shield: Integrated Design
- Standards: ANSI Z87.1-2010
- Anti-fog lens coating recommended with this frame style



## TRENDSETTERS COLLECTION

TRENDSETTERS  
COLLECTION



### TITMUS TR301S

- Sizes: 48.19.140; 50.19.145; 52.19.145
- Colors: GRA Gray, BRN Brown
- Features: Stainless steel, spring hinge
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



### TITMUS TR302S

- Sizes: 49.21.140; 51.21.145
- Colors: GRA Gray, BRN Brown, BUR Burgundy
- Features: Stainless steel, spring hinge
- No replacement temples
- Side shield: T-LOC® only, CS66
- Standards: ANSI Z87.1-2010



### TITMUS TR303S

- Sizes: 48.21.140; 50.21.145
- Colors: GRA Gray, BRN Brown
- Features: Stainless steel, spring hinge
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



### TITMUS TR304S

- Sizes: 49.20.140; 51.20.145
- Colors: ROS Rose, GRA Gray, ANB Antique Brown
- Features: Stainless steel, spring hinge
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



### TITMUS TR306S

- Sizes: 51.19.140; 53.19.145
- Colors: DBR Dark Brown Matte, DBL Dark Blue Matte
- Features: Stainless steel, spring hinge, sunglass clip-on available
- No replacement temples
- Side shield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010



## TRENDSETTERS COLLECTION



### TITMUS TR307S

- Sizes: 53.21.140; 56.21.145
- Colors: CHR Dark Chrome, WAL Walnut
- Features: Stainless steel, spring hinge, extra large fit
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



### TITMUS TR308S

- Sizes: 51.17.135; 53.17.140
- Colors: BRN Brown, CBT Cobalt, CPR Copper
- Features: Stainless steel, spring hinge
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



### TITMUS TR309S

- Sizes: 46.19.135; 48.19.135; 50.19.140
- Colors: BRN Brown, GRA Gray, VIO Violet
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



### TITMUS TR310S

- Sizes: 47.19.135; 49.19.135; 51.19.140
- Colors: GRA Gray, GRN Green, VIO Violet
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



### TITMUS TR311S

- Sizes: 56.14.135; 58.15.135; 60.16.140
- Colors: BRN Brown, GLD Gold and PEW Pewter
- Features: Stainless steel, corrosion-resistant, OBE double-action spring hinge, N-Tite® system
- No replacement temples
- Side shield: CS31
- Standards: ANSI Z87.1-2010, EN166



### TITMUS TR312S

- Sizes: 51.18.135 "H" (small fit) and 53.18.140
- Colors: VIO Violet, BRN Brown, GML Gunmetal
- Features: Stainless steel construction, double action spring hinges, adjustable bridge type and "flex" shield design, OBE 5 – Barrel Double Action Cam, N-Tite® system
- No replacement temples
- Side shield: CS11
- Standards: ANSI Z87.1-2010

## TRENDSETTERS COLLECTION

TRENDSETTERS  
COLLECTION



### TITMUS TR315

- Sizes: 51.14.130; 53.14.135
- Colors: Burgundy with red layers, blue with turquoise layers
- Features: Handmade acetate frames, multi-layered design
- No replacement temples
- Side Shields: C315
- Standards: ANSI Z87.1-2015



### TITMUS TR316

- Sizes: 51.13.130; 53.13.135
- Colors: Black with white layers, brown with tan layers
- Features: Handmade acetate frames, multi-layered design
- No replacement temples
- Side Shields: C316
- Standards: ANSI Z87.1-2015



### TITMUS TR317

- Sizes: 52.16.140; 54.16.145
- Colors: Black with blue layers, black with yellow layers
- Features: Handmade acetate frames, multi-layered design
- No replacement temples
- Side Shields: C317
- Standards: ANSI Z87.1-2015



### TITMUS TR318

- Sizes: 52.17.140; 54.17.145
- Colors: Black and brown fade
- Features: Handmade acetate frames, multi-layered design
- No replacement temples
- Side Shields: C318
- Standards: ANSI Z87.1-2015



## TITANIUM COLLECTION



### TITMUS EXT2

- Sizes: 56.16.145; 58.16.150
- Colors: TOR Tortoise, ANP Antique Pewter, BRN Brown
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: CS83
- Standards: ANSI Z87.1-2010



### TITMUS EXT4

- Sizes: 47.20.135; 50.20.135; 52.20.140
- Colors: TOR Tortoise, ANP Antique Pewter, ANB Antique Brown
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS96/CS96S
- Standards: ANSI Z87.1-2010, EN166



### TITMUS EXT5

- Sizes: 48.20.140; 51.20.145
- Colors: BRN Light Brown/Tortoise, BRZ Satin Bronze, GRA Light Gray/Tortoise
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, CS95
- Standards: ANSI Z87.1-2010



### TITMUS EXT6

- Sizes: 49.19.140; 51.19.145
- Colors: GLD Goldtone, GRA Gray, BRN Brown
- Features: 100% Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



### TITMUS EXT8

- Sizes: 49.19.140; 51.19.145
- Colors: BRN Brown, STL Steel
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010

## TITANIUM COLLECTION



### TITMUS EXT9

- Sizes: 49.20.140; 51.20.145
- Colors: DBR Dark Brown Matte, DGY Dark Gray Matte
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010



### TITMUS EXT10

- Sizes: 53.18.140; 55.18.145
- Colors: DBR Dark Brown Matte, DGM Dark Gunmetal
- Features: Titanium, spring hinge, nickel-free plating
- No replacement temples
- Side shield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010, EN166



### TITMUS EXT11

- Sizes: 50.19.140; 52.19.145
- Colors: BRN Brown, GLD Gold and GML Gunmetal
- Features: Titanium 100, light, corrosion-resistant, OBE double-action spring hinge, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, patented flex shield, CS11
- Standards: ANSI Z87.1-2010



### TITMUS EXT12

- Sizes: 49.19.135, 51.19.140
- Colors: BRN Brown, GLD Gold and WIN Wine
- Features: Titanium 100, light, corrosion-resistant, OBE double-action spring hinge, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, patented flex shield, CS12
- Standards: ANSI Z87.1-2010

## TITANIUM COLLECTION



### TITMUS EXT13

- Sizes: 51.18.140 ("H" small fit)
- Colors: TPE Taupe, BLK Satin Black and SGL Satin Gold
- Features: Memory metal technology, Metal 3-barrel hinge and N-Tite® System
- No replacement temples
- Side shield: Detachable, T-Loc® only, CS13
- Standards: ANSI Z87.1-2010



### TITMUS EXT14

- Sizes: 51.18.140; 53.18.145
- Colors: BRN Brown, BLK Black
- Features: Monobloc Metal 3 – barrel hinge, memory metal technology and N-Tite® System
- No replacement temples
- Side shield: Detachable, T-Loc® only, CS14
- Standards: ANSI Z87.1-2010



### TITMUS EXTS1

- Sizes: 48.21.140; 50.21.145
- Colors: LBR Light Brown Matte, LGR Light Gray Matte
- Features: Titanium, spring hinge, nickel-free plating, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



### TITMUS EXTS2

- Sizes: 48.21.140; 50.21.145
- Colors: LBR Light Brown Matte, DKB Dark Brown Matte
- Features: Titanium, spring hinge, nickel-free plating, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010

## EXCLUSIVE COLLECTION



### TITMUS HP01

- Sizes: 51.18.135; 53.18.140
- Colors: BRN Brown, GMT Patina
- Features: Stainless steel; spring hinge, patent-pending “High-Performance Lens Retention System”
- No replacement temples
- Side Shield: T-LOC® only, new patented flex shield, CS30
- Standards: ANSI Z87.1-2010



### TITMUS HP02

- Sizes: 51.19.135, 53.19.140
- Colors: BLK Black, BRN Brown
- Features: Stainless steel; spring hinge, patent-pending “High-Performance Lens Retention System”
- No replacement temples
- Side Shield: T-LOC® only, new patented flex shield, CS32
- Standards: ANSI Z87.1-2010



### TITMUS HP03

- Sizes: 50.17.135; 52.17.140
- Colors: BRN - Brown, GRA - Gray, and BUR - Burgundy
- Features: Lightweight, durable, “High-Performance Lens Retention System”
- No replacement temples
- Side Shield: C103 top and side
- Standards: ANSI Z87.1-2010



### TITMUS EX275S

- Sizes: 50.18.135; 52.20.140
- Colors: BLU Blue, BRN Brown, PEW Pewter
- Features: Stainless steel, spring hinge, N-Tite® system
- No replacement temples
- Side shield: T-LOC® only, gray shield available, CS65/CS65S
- Standards: ANSI Z87.1-2010



### TITMUS EX281S

- Sizes: 53.17.133 “H” (Small fit) and 56.17.138 “H” (Small fit)
- Colors: BLK Black (available only with 53mm eyesize), BRN Brown and TOR Tortoise
- Features: Stainless steel split temple construction, handmade acetate matching temple tips and saddle fit bridge design, metal 3-barrel hinge
- No replacement temples
- Side shield: Detachable, T-Loc® only, CS29
- Standards: ANSI Z87.1-2010

## PREMIER COLLECTION



### TITMUS PC250A or PC250SWA

- Sizes: 54.16.140; 56.16/18.145; 58.18.145
- Colors: GLD Goldtone, PEW Pewter, TOR Tortoise, BRN Brown
- Features: Spring hinge, molded uni-fit bridge (PC250SWA)
- Note: PC250SWA not available in Goldtone
- Side shield: Gray shield available, CS82/CS82S
- Standards: ANSI Z87.1-2010, EN166



### TITMUS PC261

- Sizes: 56.16.140; 59.16.145
- Colors: TOR Tortoise, BRN Brown, DGR Demi Gray
- Features: Spring hinge
- Side shield: Gray shield available, CS82/CS82S
- Standards: ANSI Z87.1-2010



### TITMUS PC264

- Sizes: 50.20.140; 52.20.145
- Colors: GML Gunmetal, ANG Antique Goldtone, ANB Antique Brown
- Features: Spring hinge
- Side shield: Gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



### TITMUS PC267

- Sizes: 49.20.140; 51.20.145
- Colors: GRA Gray, ANB Antique Brown
- Features: Spring hinge
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



### TITMUS PC268

- Sizes: 53.20.140; 55.20.145
- Colors: ANB Antique Brown, CHR Chrome
- Features: Spring hinge
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010, EN166



## PREMIER COLLECTION



### TITMUS PC269

- Sizes: 49.16.125; 52.16.130
- Colors: GRA Gray, BLK Black, BRN Brown
- Features: Spring hinge, 135mm temples available
- Side shield: T-LOC® only, CS69
- Standards: ANSI Z87.1-2003



### TITMUS PC280

- Sizes: 49.18.135; 52.18.140
- Colors: BLU Blue, BRN Brown, ROS Rose
- Features: Spring hinge
- Side shield: T-LOC® only, CS62
- Standards: ANSI Z87.1-2010

## BASELINE COLLECTION



### TITMUS FC601A

- Sizes: 54.16.140; 57.16.145; 60.16.145
- Colors: GLD Goldtone, PEW Pewter
- Side shield: Gray shield available, CS82/CS82S
- Standards: ANSI Z87.1-2010, EN166



### TITMUS FC703

- Sizes: 52.20.140; 54.20.145
- Colors: GLD Gold, GML Gunmetal
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010



### TITMUS FC704

- Sizes: 49.18.140; 51.18.145
- Colors: BRN Brown, GRA Gray
- Side shield: CS94
- Standards: ANSI Z87.1-2010, EN166

## BASELINE COLLECTION



### TITMUS FC705

- Sizes: 50.19.140; 52.19.145
- Colors: BRN Brown, GRA Gray
- Side shield: CS94
- Standards: ANSI Z87.1-2010, EN166



### TITMUS FC706

- Sizes: 49.20.140; 51.20.145
- Colors: ANB Antique Brown, ASM Antique Silver Matte
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010, EN166



### TITMUS FC707

- Sizes: 50.21.140; 52.21.145
- Colors: ANB Antique Brown, DGM Dark Gunmetal
- Side shield: T-LOC® only, CS67
- Standards: ANSI Z87.1-2010, EN166



### TITMUS FC709

- Sizes: 51.19.140; 53.19.145
- Colors: GLD Goldtone, GML Gunmetal
- No replacement temples
- Side shield: Gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010, EN166



### TITMUS TM10A

- Sizes: 50.20.140; 52.20/22.145; 54.20/22.150
- Colors: GLD Goldtone, GML Gunmetal, SIL Silvertone
- Side shield: CS74
- Standards: ANSI Z87.1-2010

## BASELINE COLLECTION



### TITMUS BC101

- Sizes: 54.17.140; 56.17.145; 58.17.150
- Colors: GLD Goldtone, DMB Demi Amber, DGR Demi Gray
- Features: Spring hinge
- Side shield: CS101
- Standards: ANSI Z87.1-2010, EN166



### TITMUS BC102A

- Sizes: 54.15.140; 56.15.140; 58.15.145; 60.15.145
- Colors: GLD Goldtone, DMB Demi Amber, GML Gunmetal
- Features: Spring hinge
- Side shield: CS101
- Standards: ANSI Z87.1-2010, EN166



### TITMUS BC104A

- Sizes: 51.19.140; 53.19.145
- Colors: GLD Goldtone, GML Gunmetal
- Features: Spring hinge
- Side shield: T-LOC® only, gray shield available, CS64/CS64S
- Standards: ANSI Z87.1-2010, EN166



### TITMUS BC109

- Sizes: 49.19.135; 51.19.140; 53.19.140
- Colors: ANG Antique Gold, DMB Demi Amber, DRD Demi Red
- Features: Spring hinge
- Side shield: T-LOC® only, gray shield available, CS96/CS96S
- Standards: ANSI Z87.1-2010, EN166



### TITMUS BC115

- Sizes: 48.20.140; 51.20.145
- Colors: DBZ Dark Bronze, DST Dark Steel
- Features: Spring hinge
- Side shield: T-LOC® only, gray shield available, CS60/CS60S
- Standards: ANSI Z87.1-2010



### TITMUS BC116

- Sizes: 50.18.135 "H" (Small fit) and 53.18.140 "H"
- Colors: BRN Brown, GML Gunmetal
- Features: Monel fronts with stainless steel temples for long-lasting performance. Metal 3 - barrel hinge.
- Side shield: Detachable - T-Loc only, CS12
- Standards: ANSI Z87.1-2010

## STANDARD COLLECTION



### TITMUS SC900

- Sizes: 52.14.140; 54.14.145; 56.15.145
- Colors: BRN Brown, SMK Smoke, TAN Tan
- Features: Standard temple
- Note: Also available as stock plano
- Side shield: CS75
- Standards: ANSI Z87.1-2010, EN166



### TITMUS SC901

- Sizes: 54.14.145; 56.15.145
- Colors: BRN Brown, SMK Smoke, TAN Tan
- Features: Integral shields
- Note: Also available as stock plano
- Standards: ANSI Z87.1-2010



### TITMUS SC910

- Sizes: 52.16.140; 55.18.145
- Colors: GRA Gray and BRN Brown
- Features: Integral side shields, low metal content, propionate front with polycarbonate temples, replacement temples are same for both SC910/SC915
- Side shield: Integral
- Standards: ANSI Z87.1-2010



### TITMUS SC915

- Sizes: 51.19.140; 54.21.145
- Colors: BRN Brown and GRA Gray
- Features: Integral side shields, low metal content, propionate front with polycarbonate temples, replacement temples are same for both SC910/SC915
- Side shield: Integral
- Standards: ANSI Z87.1-2010, EN166

## STANDARD COLLECTION



### TITMUS SP83/SP83BF with eye cup

- Sizes: SP83: 50.20.140; 52.20.145; 54.20.150/SP83BF: 52.20.145; 54.20.150
- Colors: BRN Brown, GRA Gray
- Features: 7 BBL hinge
- Note: SP83BF is only available with permanently attached cup sideshields (#9 clear perforated or #13 wire mesh)
- Side shield: CS77
- Standards: ANSI Z87.1-2003, EN166



### TITMUS 70F

- Sizes: 48.20.140; 48.22/24.145; 50.22.150; 50.24.155
- Colors: GRA Gray, BLK Black
- Features: 5 BBL hinge
- Side shield: CS77
- Standards: ANSI Z87.1-2003, EN166



### UVEX Stealth®

- Size: One size
- Colors: S39630C Clear lens/Orange and Gray body  
S39631C Gray lens/Orange and Gray body
- Features: Designed for both chemical splash and impact, Rx insert (S3959), Uvextreme® anti-fog lens coating
- Standards: ANSI Z87.1-2010, CSA Z94.3



### Uvex AstroSpec RX® 3003

- Sizes: One size with Duoflex® adjustable soft “comfort cushion temples”
- Colors: Blue, Black
- Notes: Propionate Rx carrier can be tinted
- Standards: ANSI Z87.1-2010, EN166



### GENESIS XC® shown with Rx carrier

- Sizes: One size with adjustable temples
- Colors: Black
- Notes: Available with Clear, Gray or Mirror coated lenses, sold in boxes of 10, Uvex XC Rx carrier sold individually and separately
- Standards: ANSI Z87.1-2010, CSA Z94.3



## SIDESHIELD/FRAME MATRIX

We strongly recommend the use of sideshields on all protective eyewear. Please allow additional time for processing permanently attached sideshield orders.



### SIDESHIELDS

Clear	Gray	Sideshield Cross Reference	Item #
CS02	CS02S	SW02	17219 / 18143
CS03	CS03S	SW03	17834 / 18318
CS04	CS04S	SW04	18410 / 18576
CS11	N/A	EXT11, TR312S	18888
CS12	N/A	EXT12, BC116	18889
CS13	N/A	EXT13	19198
CS14	N/A	EXT14	19284
CS29	N/A	EX281S	19252
CS30	N/A	HPO1	19418
CS31	N/A	TR311S	18887
CS32	N/A	HPO2	19469
CS60	CS60S	EXT6, EXTS1, EXTS2, TR303S, TR304S, TR309S, FC706, PC267, BC115	13774 / 16243
CS62	N/A	PC280	13807
CS64	CS64S	EXT8, PC264, FC703, FC709, PC268, BC104A, TR308S, TR310S	13811 / 16289
CS65	CS65S	TR301S, TR307S, EX275S	14687 / 16299
CS66	N/A	TR302S	14740
CS67	N/A	TR306S, EXT9, EXT10, FC707	14776
CS68	N/A	PC266A	15627
CS69	N/A	PC269	18319
CS74	N/A	TM10A	58516
CS75	N/A	SC900	58520
CS77	N/A	70F, SP83	58528
CS82	CS82S	FC601A, PC250A / PC250SWA, PC261	76075 / 80092
CS83	N/A	EXT2	17072
CS94	N/A	FC704, FC705	13614
CS95	N/A	EXT5	13568
CS96	CS96S	EXT4, BC109 for T-LOC® System	13717 / 16789
C101	N/A	BC101, BC102A	86693
C315	N/A T	R315	19604
C316	N/A	TR316	19605
C317	N/A	TR317	19606
C318	N/A	TR318	19607
C103	N/A	HPO3	19577

### #9 CLEAR PERFORATED CUP SHIELD FRAMES

#9	N/A	SP83BF	N/A
----	-----	--------	-----

### #13 WIRE MESH CUP SHIELD FRAMES

#13	N/A	SP83BF	N/A
-----	-----	--------	-----

SWRX  
COLLECTION

TRENDSETTERS  
COLLECTION

TITANIUM  
COLLECTION

EXCLUSIVE  
COLLECTION

PREMIER  
COLLECTION

BASELINE  
COLLECTION

STANDARD  
COLLECTION

DISTRIBUTOR IMPRINT



For more information:

**Honeywell Industrial Safety**

15801 Woods Edge Road  
Colonial Heights, VA 23834  
Tel: 800.446.1802  
Fax: 800.544.0346  
[www.uvexrx.com](http://www.uvexrx.com)

Uvex® brand safety eyewear is offered for sale by Honeywell Industrial Safety exclusively in the Americas.

©UVEX SAL0700 01/17

**Honeywell**  
UVEX